100MY20140815

100
MOTOR YACHT



OCEAN ALEXANDER®

www.oceanalexander.com

OCEAN ALEXANDER®

100 MOTOR YACHT

PARTICULARS

Maximum Length	100' 2"	30.53 M
Waterline Length	87' 11"	26.80 M
Maximum Beam	23' 0"	7.01 M
Draft	5' 6" – 6' 5"	1.68-1.96 M
Displacement (approximate)	229,900 lbs	104,280 KG
Fuel Capacity	4,000 gal	15,141 L
Water Capacity	650 gal	2,461 L
Holding Tank Capacity	200 gal	757 L
Standard Generator	Twin Kohler® 53 KW	
Standard Power	Twin CAT® C-32 ACERT 1925HP	

Estimated Speed/Fuel Burn/Range:
At 10 knots: 0.52 Nautical mile/gal. (0.14 Nautical mile/L) / 2,150 nautical mile range
At 22 knots (top speed): 0.11 Nautical mile/gal. (0.03 Nautical mile/L) / 421 nautical mile range

TABLE OF CONTENTS

A. Construction	2	E. Accommodations/Interior, Audio/Visual	4-6
B. Mechanical	2-3	Limited Warranty	7
C. Plumbing	3	General Plans	8-12
D. Electrical	3-4	Standard Choices / Optional Equipment	13-15

***** Specifications and equipment are subject to change without notification.**
***** Drawings may show optional equipment.**

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

A. CONSTRUCTION

GENERAL:

- Vinylester resin with high-density structural foam. High density allows for high temperature resistivity and particular advantage in thermal and acoustic insulation. Usually only found in vessels 120'+ (New for 2014)
- Longitudinal and lateral fiberglass stringers filled with high-density foam
- Ocean Alexander employs various techniques to reduce sound and vibration. Focusing on providing a quiet and comfortable yachting environment through various proprietary techniques of controlling sound and noise transmission. Some of these techniques include, multiple insulation barriers including reflective materials, absorptive materials, dampening materials, air pockets and flexible and isolation mounts. Ultimately resulting in vibration/sounds levels that are industry leading and at times 1/2 to 1/10 of ISO-6954 requirements (Unique OA feature)
- Fiberglass with infusion lamination manufacturing technology
- Reinforced collision bulkhead
- Frameless window
- All exterior hardware to be S/S 316 or to manufacturer requirements
- Weather-tight bulkheads with further sound and temperature insulation
- Painted Exterior Surface with professional grade Alexseal polyurethane paint and epoxy based primers. Highest gloss and color retention compared with gelcoat or other paint brands (Unique OA standard feature, not an optional upcharge like competitors)
- Weather-tight bulkheads with further sound and temperature insulation
- Marine grade aluminum beams for floors, walls and ceiling. Provides greater rigidity and monolithic structure. Prevents movements and "creaky" sounds while underway
- Use of cross-knit directional carbon fiber in high stress area for added structural integrity and torsional strength
- Fiberglass staircase from cockpit to FB w/teak steps

HULL / BOTTOM:

- Black boot top stripe
- Interior structural components all bonded to hull
- Three coats of Seahawk primer, hi-build epoxy barrier coat and covered with three coats of Seahawk self-polishing bottom paint (Unique OA feature, optional on competitors)
- Fiberglass rub rail w/ S/S striking plate
- Bronze through-hull fitting

B. MECHANICAL

MAIN ENGINES:

- CAT® C-32 ACERT 1925HP engine includes CAT Concierge Program (unique OA feature where Concierge is included free of charge compared to optional extra)
- Engine alarm system, for low oil pressure and high water temperature
- S/S engine beds
- Lube oil change system for engines and generators with approximately 45-gallon lube tank
- Delta-T Intake/exhaust fans with variable frequency drives shall be mounted to facilitate the pushing and/or pulling of air through the machinery spaces and the providing of a high rate of air exchange. Ducts shall have fire dampers installed with manual/ automatic triggering that shall be tied into the machinery shut down circuits. Ducts in way of interior living space shall be insulated and soundproofed. System of water separator grills used on intake and exhaust sides of system
- Adjustable/Reversible Delta-T fans for engine exhaust located on superstructure instead of hull side. Maximizes water protection and salt spray, resulting in safer and lower maintenance ownership (Unique OA feature)
- Stainless steel rails on side of engine and stainless steel engine mounting plates
- Stabilizer with power take-off from both engines
- Two control stations: FB & PH, with complete engine instrumentation with lighted, modern switches.

STEERING / CONTROL:

- Hydraulic steering system
- Steering control station with complete instrumentation
- S/S rudders w/integrated zinc plates
- Dripless seal for rudder post
- High performance computer designed and machined NiBrAl propeller - Class "S"
- Interior steering wheel Ultraleather wrapped (color: Fudge), exterior stainless steering wheel on FB
- Maintenance free "dripless" seals for engine shaft packing glands
- Propeller shaft Aqua 22HS. 22HS is a high-grade austenitic alloy stainless steel that provides superior corrosion resistance (comparable to Aqua 22) along with excellent toughness and high strength (comparable with Aqua 17). A no compromised approach adopted by the navies around the world
- Stidd® mechanical helm seats (Ultraleather in Fudge for interior, Polar for exterior)

GENERATOR:
- Kohler® 53KW genset includes 5 year/2,000 hour warranty (2x)
- Generator exhausts to be water-drop type per "Centek", "Marine Exhaust Co." or equal
- Generator set resiliently mounted and installed with sound shield & vibration dampener

WINDLASS / MOORING:
- Hydraulic windlass, VW4000C
- Dual stainless steel plow anchors 350 lbs. from hull sides w/ 300ft anchor chain (1/2" HT) & chain stoppers.
- Integral roller and chain stopper with Maxwell® anchor winch
- Two Maxwell® VC2500 vertical electric rope winches for Aft Deck
- Reinforced anchor platform and anchoring system
- Chain counter
- Hands-free anchor chain wash system – allows for cleaning of chain during anchor operation (New for 2014)

THRUSTER / STABILIZERS:
- Sidepower Vector Fin (DAME 2013 award winner) 16 sqf hydraulic stabilizer find with zero speed stabilization function and 55HP bow and 40HP stern thrusters

OTHER:
- Color-coded piping system for easy identification
- Hydraulic 2500 lbs. yacht crane
- Fire extinguisher system with engine-shutdown feature
- Sea Recovery 1400G/Day water maker w/auto fresh water flush operation, PH Neutralizer, UV sterilizer and Commercial Pre-filter (US Coast Guard 14 person unit)
- Kahlenberg™ heavy-duty horn
- All engine room and bilge spaces shall be primed and top coated with polyurethane paint system.
- Hepworth® heavy-duty commercial grade pantograph windshield wipers & washers w/ intermittent function
- Detailed stringers in engine room & lazarette
- Ocean Alexander proprietary "dry bilge ventilation system" with dedicated bilge exhaust to outside. This provides constant airflow to keep the bilges dry and mildew free. Any moisture from condensation is evacuated outside the yacht to keep a clean and healthy cruising environment. (New for 2014)

C. PLUMBING

FRESH WATER SYSTEM:
- 2mm thickness 316 S/S water tank w/ sight gauge
- Headhunter™ pressure fresh-water system
- Fresh-water outlet with hose for engines & generator
- Cold fresh-water wash down at bow, stern and boat deck
- Dockside water connection
- Two 40-gallon water heater with high-density fiberglass insulation w/ high efficiency heating element

FUEL SYSTEM:
- 4.5mm thickness 5052 Aluminum fuel tanks with sight gauges and tested to International Standards 33CFR 510(a) w/ high and low fuel level alarm system
- Dual Racor® fuel/water separator with Y-valves for engine & generator
- Gulfcoast™ Fuel polishing system based on US Military Abrahams-M1 Tank design
- Sight gauges for all tanks
- Both side filler for fuel tanks with individual tank vents
- Exceeding industry safety standards with Flame arrestor installed in fuel system. Design to prevent ignition of fumes during fueling/heavy operation. Usually found only in classed vessels (New for 2014)
- Fuel system with venting and "catchment system" designed for burps or overflow accidents

HOLDING TANK SYSTEM:
- ECOmar™ waste treatment system (600Gal/day)

BILGE / DISCHARGE:
- Oversized drains to overboard
- Automatic bilge pump - The vessel shall be outfitted with automatic bilge pump with manual and automatic switches in each space as divided by weather-tight bulkheads. High water alarms will be mounted in each of these bilge zones
- High water bilge alarm at every Rule® bilge pump station
- Dry bilge area arrangement in center engine room

D. ELECTRICAL

AC / DC SYSTEM:
- AC outlets throughout
- All primary AC & DC electrical wiring is appropriately labeled throughout the yacht
- GFI (110V) AC outlet
- 24 Volt system
- Engine battery isolation switches
- AGM Batteries with 40F to 140F operating temp and industry leading low self discharge rates 1 to 3%
- Octoplex NEMA 2000 electrical control system. Based on aerospace technology for remote activation, control and status reporting of all AC and DC breakers. Monitors all power sources (AC and DC) for voltage, frequency and amperage abnormalities and provide visual and

audio alerts. Includes enhanced circuit breaker functionality with no-load indication, dimming and usage information with touch screen monitors that are user reconfigurable. Brown-out configurable control through auto load shedding is included where operator designated equipment (e.g. navigation and other essential systems) remains powered-on while automatically switching other systems off. Octoplex NEMA 2000 Vessel system monitor system. Provides main access doors, tank level, bilge level and battery monitoring of current, voltage and temp.
- 100AMP+100AMP with Galvanic protection built-in
- Iso-Boost Package for both shorepowers. ISO boosting isolates and boosts the boat's AC electrical system against potentially dangerous shore power fluctuations. Eliminates needs for polarity alarm and galvanic isolators.
- Shore power receptacle 2 x 100 AMP on transom with cablemaster
- Victron® 100 AMP Charger
- Victron® battery charger
- Heavy-duty batteries
- Battery paralleling system w/ control switch
- Service battery switch
- Bonding system throughout
- The vessel's bonding and grounding systems shall include copper straps secured to the hull and running the full length of the vessel parallel to centerline. Engines, generators, metallic through hulls, strainers, and pump bodies shall be connected to the bonding strap using 8 AWG wire minimum or equivalent

AIR CONDITIONING:
- Cruisair® chilled water system air conditioning w/ air handlers for central air conditioner, rated for extreme Tropical climates (Reverse Cycle capable for operating down to 40F)
- Refrigerant type is accepted worldwide under the Montreal Protocols
- Dedicated engine room air conditioning
- Where possible A/C exits from custom made ceiling panels hidden from view. Shortens A/C ducting thus improving efficiency and speed of cooling by over 20%. Also reduces dB reading by over 7 dB (New for 2014 – design cues from 120)
- Air-conditioning rated for Extreme Tropical climates

LIGHTING:
- 24V LED lights (Aerospace quality, specially tuned color temperature for Ocean Alexander)
- Convenience lights
- International navigation lights

NAVIGATION PACKAGE:

FURUNO Integrated with NMEA2000
- 19" Hatterland Series X Marine Monitors PH (3x) and FB (3x) (New for 2014)
- Furuno Navnet Black Box TZTBB Processor
- Furuno 12KW 72n.m UHD Digital Radar Array
- Furuno GP330B GPS/WAAS NMEA 2000 Sensor
- Furuno DFF1 Network Sounder with Furuno Digital Filtering
- Furuno BBWX2 Weather Receiver
- Furuno AIS Black Box Class B Full Duplex
- Icom 25W VHF with 30W hailer
- Furuno NavPilot 700 Autopilot
- Maretron Ultrasonic Wind/Weather
- Maretron GPS200 GPS/WAAS
- Furuno TZ Explorer MaxSea TimeZero Explorer Software
- KVH TracVision HD7 for DIRECTTV® HDTV
- Axis Marine Camera in Engine Room (2x) and Aft Deck (1x)
- UPS electrical protection for navigation computer
- DIRECTTV® receiver
- Ritchie Compass 5"

N2KVIEW SAFETY & SECURITY MONITORING PKG:
- These security/safety automatic monitoring and alert abilities include using Apple iPad or Android for wireless access to operate, view, and alarm Octoplex data and navigation system with a fully customizable screen layout, and remote notification (cell phone) capability.
- These monitoring abilities include: Main Engines and Generators, AC Monitoring, DC House Bank Battery Monitoring, Engine Room Weather-tight Bulkhead Doors, Tank Levels, Fire System, Bilge Level (High-water), Exterior Door Sensors

OTHER:
- Vimar™ switches and outlets
- Smart Y-adaptor
- ASEA converter package with capability for European 220V cruising
- Panasonic Intercom System – includes Panasonic phone system and Digital Panasonic Phones for connection in MSR, Guest Staterooms, Crew, Salon, Galley, Skylounge (if selected)

E. ACCOMMODATIONS/INTERIOR, AUDIO/VIDEO

MASTER STATEROOM:
- LCD 50" TV with A/V System
- One Subwoofer
- "Floating" King-sized berth
- Two "floating" nightstands with granite or marble countertops
- Granite countertop at TV cabinet and port/STBD cabinets (New for 2014– design cues from 120)
- Hidden safe in hanging locker
- Walk-in closet on port side.
- Hanging closet space on STBD

- Enlarged windows with custom engineered solution incorporating aluminum beams and "sandwiched glass" construction technique from classed vessels. Allows of 28% greater visibility and incoming light (New for 2014)
- Custom headboard with recessed indirect lighting
- Cedar-lined, twin full-height hanging locker with automatic lighting
- Enlarged Master bathroom window with updated cabinetry to take advantage of additional 320% additional window visibility vs. previous port light (New for 2014)

SKYLOUNGE (OPTION):

- LCD 46" TV with A/V System
- Cabinet including wet bar, Sub Zero™ wine cooler w/ solid panel door and storage (Skylounge)
- Boat deck sliding hatch
- Wood valance board
- Wood or fiberglass table
- Raised settee with table
- Day head
- Chart locker

SALON:

- Professional Grade A/V system
- LCD 55" TV with Professional A/V System (Dolby true HD DTS-HD XM/Sirius capable w/multiEQ that provides virtually perfect acoustical environment for up to six individual seating locations, also detects "out of phase inner" auto compensable to match w/ subwoofer & speakers. HDMI 1.3 provides high bandwidth HD video output) for true color HD reproduction.
- Middle-Atlantic Media Rack for A/ V equipment (Professional Studio quality rack provides ease in accessing various A/V equipment. Reduces labor, damage w/ heavy duty 13-gauge S/S and interlocking corners)
- Furman power conditioner (featuring multi-stage linear amplifier tech & extreme voltage shutdown for yacht's unstable shore/genset power)
- One Subwoofer
- Wood paneling and cabinetry
- Granite countertop at wet bar, TV cabinet, and dining room divider cabinet
- Custom designed window mullion
- Decorative ceiling treatment
- Phantom screen (for insects + pollen protection) with dedicated wood box for door
- Enlarged windows in salon with custom engineered solution incorporation marine grade aluminum beams allowing for industry leading window expanse. Incorporate (where possible) A/C outlet from ceiling, provides unobstructed view to outside (New for 2014 – design cues from 120)
- Sub Zero™ ice maker
- Sub Zero™ refrigerator drawers

CREW QUARTERS (New for 2014):

- Cedar-lined hanging locker with automatic lighting
- Kitchenette (sink, microwave and refrigerator/icemaker)
- Storage locker
- Drawers under bunk
- Microwave Oven
- LCD 24" TV & DVD with Satellite Receiver
- Captain quarters includes desk with storage and N2KView linked Apple IPad for systems diagnostics/alerts/settings. Full height hanging closet and queen size berth with storage under
- Dedicated stainless work bench with vice and Snap-on tool chest. Also includes a wet locker (with ventilation and separate water drain) and storage compartment. All staterooms fully air-conditioned
- Snap-on tool chest under work bench
- Amtico flooring

INTERIOR DÉCOR:

- Wood paneling and cabinetry in semi-gloss
- Interior ceiling panels removable and finished with Diamond faceted edging. Provides a sharper and structured tailored look. (New for 2014 – design cues from 120)
- Evan Marshall designed interior pilot station and display pod. With matching wood/Ultraleather and "floating" display pod. Ergonomically designed and laid out to enhance pilot experience/performance. (New for 2014 – design cues from 120)
- Custom designed and water jet cut granite with stainless steel insert in lower foyer and master bathrooms. (New for 2014 – design cues from 120)
- Ocean Alexander Fresh Air system: with filtered fresh air drawn from outside and vented to lower staterooms for constant fresh, clean air. Makes for a clean and healthy environment that reduces free radicals and increase oxygen levels. (New for 2014)
- High quality European door locks
- Cedar-lined, hanging locker with auto lighting
- Fabric covered walls for lower walkway walls
- Concealed hinges throughout interior cabinets
- Ergonomically designed mattresses and settees
- Washer/ dryer (Commercial quality, Energy star washer/dryer) in lower foyer
- Refrigerator/ice maker in lower foyer
- Concealed Chest Freezer in front of Dinette
- Port/Star staterooms side-by-side berths can slide together and convert to single queen berth.
- $110,000 décor allowance for salon sofa, carpet, bed spreads, and soft goods
- Flip-up additional storage fwd of dinette/under windshield
- Electrical shades for Salon, Dining, Master, and Master head
- USB power plug at lower helm and inside MSR nightstand
- Dedicated oversized drawer for golf club/sport rackets/bulky items storage under fwd stateroom berth

GALLEY:

- Wood panel and cabinetry
- Galley storage cabinetry w/hidden hinges

- Granite or marble countertops
- Granite/Marble floor in galley
- Elkay™ professional series kitchen sink w/ pull out tap
- Exhaust blower
- Overhead dish locker fwd & aft
- 30" Thermador™ electric cook top
- 30" Thermador™ electric oven
- Sub-Zero® Refrigerator/ freezer
- Whirlpool™ garbage disposal
- 30" Viking™ Over-the Range Microwave with exhaust blower
- ASKO dishwasher
- 15" Whirlpool™ trash compactor
- Seagull™ water purifier (ADEX design award winner w/ filtration to 0.1 microns & EPA certification for microbiological purification)

HEADS:

- Wood paneling and cabinetry
- Granite or marble countertops with china sink
- Seamless fiberglass stall shower w/ one-piece glass door. Industry leading seamless one-piece shower stall design provides long term protection against moisture, water intrusion behind the shower panels - leading to foul odors and water damage (Unique OA feature)
- Shower door with Granite/marble frame. Shower door shall use "crystal clear" glass custom made for Ocean Alexander. Providing superior transparency and reflectiveness. Together with custom made for Ocean Alexander "minimalist and transparent water strips" provides a unique Ocean Alexander proprietary "Crystal Shower" (New for 2014)
- Cabinet with mirror door above sink
- Air extraction in each head shall be by low noise extraction fans
- Planus™ toilet system throughout
- Custom bathroom fixtures
- Granite or marble countertops and back splash in heads with bone china sink
- Crew quarters w/private head, shower and refrigerator

EXTERIOR:

- Evan Marshall designed exterior pilot console and display pod - with contrasting metallic dark grey and metallic silver and "floating" display pod. Ergonomically designed and laid out to enhance pilot experience/performance (New for 2014 – design cues from 120)
- 2" elliptical 316 Stainless steel handrails & stanchions, main deck 1-1/2" on FB. Elliptical conforms better to human grip than traditional round rails. Provides greater "grip strength" for safety and comfort (Unique OA feature)
- 316 stainless-steel cleats
- Elec. stainless-steel sliding doors for salon
- Two teak flag poles, fore and aft.
- Teak and stainless swim ladder, foldable
- Weather-tight door on transom for access to engine room/ crew quarters
- White non-skid fly bridge decks
- 24" Electri-Chef™ electric barbecue
- Flybridge seat w/storage underneath and high gloss table
- Fiberglass stairway up to Flybridge from cockpit
- Teak deck for aft deck and walkway to midship
- Teak swim platform w/ teak steps
- Cockpit docking control
- High bulwark w/ flush-mounted deck lights, bulwark side doors for boarding
- Side boarding gates in cockpit and midship
- Recessed boarding ladder on starboard gunnel
- Sunpad at bow
- Custom exterior canvas and windshield mesh covers
- Flybridge deck outboard storage increased by 54% via additional storage lockers on port and starboard where possible (New for 2014)
- Exterior ceiling panels removable and finished with Diamond faceted edging. Provides a sharper and structured tailored look. Also allows for easy service of navigational electronics and plumbing runs. (New for 2014 – design cues from 120)

TURN KEY (New for 2014):

- Full fuel tanks upon initial delivery
- Safety first aid kit
- Fenders, lines, flare kit, throw ring, fire extinguishers, bell
- Spare Parts package (Spare: Bilge pump, LED light, Pencil Zinc, Engine/ Generator filter, Wiper blades, Touch up paint, Fuses, Engine manuf. Spare parts kit, Generator manuf. spare parts kit, Breakers, Sump pump box, Float switch, Hydraulic gas-strut, Vimar outlet, GFI outlet, Vimar switch, Wood veneer)
- Wheel Puller for ship propellers
- Chocks
- 15' Tender with 70HP"
- 10-man life raft in valise bag
- 2sets of bed linens on all berths with pillows and towels
- Dinner china including dinner/salad/dessert plates, soup bowls, tea cup and saucers, casserole dish, salt & pepper shakers
- Flatware including steak knife, dinner knife, fork, spoon and dessert/teaspoon, salad forks, serving spoons & fork
- Table placemats, napkins, water/white/red/champagne wine glasses
- Galley cookware/pans.
- Toaster, electric mixer, measuring cup, rubber/metal/ plastic spatulas, mixing bowls
- Chef knives, cutting boards, coffee machine, iron

***** Specifications, standard and optional equipment with prices are subjects to change without notice.**
***** Speed, fuel burn, and range data is indicative only. Actual performance is dependent on customer gear and option selections. Ocean Alexander does not warranty ultimate speeds/fuel burn and range.**

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

OCEAN ALEXANDER®

ALEXANDER MARINE CO., LTD
LIMITED WARRANTY

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF; ALEXANDER MARINE CO., LTD. MAKES NO WARRANTIES RELATED TO COMMERCIAL, BUSINESS OR RENTAL USE OF THE VESSEL AND DOES NOT MANUFACTURE ANY VESSEL FOR SUCH USE; ALEXANDER MARINE CO., LTD. MAKES NO WARRANTIES REGARDING COMPONENTS AND SYSTEMS MANUFACTURED BY OTHERS AND PURCHASED BY IT FOR INSTALLATION IN THE VESSEL, SUCH COMPONENTS AND SYSTEMS MAY HAVE THEIR OWN MANUFACTURERS' WARRANTIES, IF ANY, WHICH MUST BE RELIED UPON (FOR EXAMPLE: GENERATORS, WATER PUMPS, HEAD AND SEWAGE UNITS, APPLIANCES, INVERTERS, ENGINES, ETC.)

Alexander Marine Co., Ltd., (hereafter: "AMC") warrants to the original retail purchaser (meaning: the first purchaser/user of the vessel from time of delivery of the vessel in its new condition from AMC's factory) of an Ocean Alexander yacht that it will repair or remove and replace, or cause such to be done, at a place and in a manner in its sole discretion any part which was both made and installed by it in the new vessel which is determined to be defective and which has been brought to its attention in writing within **one year** of the first retail purchaser taking possession of the vessel. In cases of osmosis, structural issues, integral portion of the hull, deck, stringers, grid system and superstructure which is determined to be structurally defective, AMC must be notified within thirty days of discovery of such condition in order to allow for its repair and arresting of progress of the condition. Failure to so notify AMC shall automatically invalidate and extinguish this warranty as to such condition. Use of the vessel for commercial, business, or rental/charter purposes, misuse of the vessel and/or its components and systems, external damage from foreign objects, or use of the vessel in hazardous circumstances or extreme conditions (whether weather, water or failure to maintain and/or service as required by the manufacturer of the vessel or its components or systems) shall automatically invalidate and extinguish all warranties, whether express, implied or by operation of law. Alterations to the exterior finish, including but not limited to painted surfaces if altered, abused, damaged by foreign objects or chemicals or work by others on it, subjected to abnormal use or conditions (including but not limited to the aforementioned prohibition against commercial and business, rental or charter use), or has not been properly waxed and polished and maintained by the purchaser, or having being re-painted, addition of color stripes; shall also automatically invalidate and extinguish all warranties, whether express, implied or by operation of law.

This warranty also does not apply to:

1. Parts repair, replacement or labor done outside normal working hours and at standard prices and daytime rates.
2. Only new parts; AMC may in its sole discretion repair or replace with new, comparable or reconditioned or remanufactured parts.
3. Any travel expenses, mileage, overtime, lodging or meals, freight and transportation costs.
4. Any condition caused by overloading the vessel, alterations of and modifications to the vessel or conditions caused by such, conditions caused by the addition of accessories or amenities to the vessel, use of substandard or contraindicated fuels, lubricants, substances or liquids, or conditions or failures as a result of neglect, negligence, improper use, faulty repair, delay or misuse.
5. Any part, component or system installed in the vessel which carries its own warranty to the retail purchaser by its manufacturer.
6. Incidental or consequential damages of any kind, loss of use or time or inconvenience, towing, or storage, which are specifically excluded hereby, and which
   AMC further excludes and rejects to the full extent permitted by law and/or contract. Purchaser's exclusive remedies are as set forth herein, and are an integral part of the manufacture and sale of the subject vessel.
7. The Vienna Convention regarding contracts for the international sale of goods, which is specifically excluded hereby, and which AMC further excludes and rejects to the full extent permitted by law and/or contract.
8. Work at repair or service facilities of the purchaser's choosing. Purchaser may be required to deliver the vessel to a facility designated by AMC in its sole discretion in order to effect proper, convenient, qualified, economical repair or service and/or to provide appropriate expertise for the job.
9. Conditions or defects due to ordinary wear and tear or caused by excessive or inappropriate use, repair or servicing.
10. Damage to or deterioration of the working or cosmetic surfaces or amenities or finishes including, but not limited to, crazing, fading, cracking, discoloration, oxidation (whether to wood, gelcoat, varnishes, stains, paints, plated or stainless-steel finishes, bottom paint or zinc anodes), normal wear and tear, or age.
11. Parts, equipment, gear, contents or other items altered or added by others than AMC, nor the cost and/or expense to remove, disassemble, reinstall or replace such items in order to access, remove or repair parts and components and systems covered by this warranty.
12. The vessel, if it is used in or for racing, military, hazardous undertakings or ventures, negligent operation or under abnormally dangerous conditions.
13. Window glass, electronics, communication equipment, upholstery, exterior canvas or covers, anchors and chain.
14. Changes, improvements, modifications and deletions of products used in or of the vessel model itself later; and AMC reserves the right to make such or do so without such choices having any effect upon or requiring any such later developments to be incorporated in purchaser's vessel.

Should the vessel be sold, transferred or delivered for use to any third party other than a service or repair shop for necessary or desirable maintenance or repair or service or storage, then this warranty document and all warranties in it, whether express, implied or by operation of law, shall automatically expire and be extinguished, and no other warranties shall exist or survive thereafter. However, upon and only upon the specific written approval and acceptance by AMC, after inspection of the vessel and upon whatever conditions it deems necessary or desirable, and all in its sole discretion, AMC may extend the remaining term of any un-expired original warranty provision set forth herein to a new retail purchaser of the vessel upon written request from such person within thirty days of a sale or transfer, however, AMC shall have no obligation to do so. No extension of a remaining un-expired original warranty period shall be valid or enforceable unless in writing and specifically referring therein to this limited warranty document.

Alexander Marine Co., Ltd.

100 Motoryacht Inboard Profile

STBD-SIDE VIEW



PORT-SIDE VIEW



Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

100 Motoryacht With Flybridge





Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

100 Motoryacht Main and Lower Deck Layout - Flybridge Plan





Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

100 Motoryacht With Skylounge



Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

100 Motoryacht Main and Lower Deck Layout - Skylounge Optional Plan





Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

OCEAN ALEXANDER®

100 MOTORYACHT WITH STANDARD EQUIPMENT
Turn Key Price (Includes Freight, Duties, Commissioning, Décor).....US $ 8,950,000

EXTERIOR/INTERIOR DÉCOR OPTIONS

LAYOUT CHOICES:

A: Skylounge _____ A1 (Additional $320,000)

B: Galley ☐ Open ☐ Closed

INTERIOR WOOD SELECTION:

☐ Sapelli ☐ Walnut

INTERIOR VARNISH SELECTION:

☐ Satin Finish ☐ High Gloss (Optional $200,000)

SUNBRELLA FOR EXTERIOR CUSHIONS:

☐ Berenson Tuxedo ☐ Dupiona Sand

ULTRALEATHER® FOR DINETTE: ☐ Fudge ☐ Hide ☐ Milkweed ☐ Raven Wing

MARBLE OR GRANITE CHOICES:

Granite

☐ Green Butterfly (1) ☐ Indian Black (2) ☐ Giallo Veneziano (3) ☐ Ruby Star (4)
☐ Giallo Veneziano Fiorito (5) ☐ American Tabesco (6) ☐ Puteulanus Jade (7)

Marble

☐ White Aurora (11) ☐ Chiampo Blue (12) ☐ Grey Textus (13) ☐ Niger Olive (14)
☐ Svevo (15) ☐ Portuguese Red (16) ☐ Ancient Crepito (17)

Please write the NUMBER CODE for the stone choice below:

Countertop selections: Salon: _____ Galley: _____ MSR: _____

Countertop in Heads: MSR: _____ VIP: _____ Guest: _____

Floor in Galley: _____

Floor in Heads: MSR: _____ VIP: _____ Guest: _____

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

Please write the OPTION NUMBER for the Granite Design for Lower Foyer: _____

Option 1



Option 2



☐ **$6,800** Heated granite floors in Master bathroom – Selection: _____

☐ **$1,500** Custom S/S potholder for cook-top

☐ **$670** Chart light beside dash

☐ **$5,600** Electric Stidd helm seat (each) in lieu of standard mechanical seat. Not recommended for exterior installation

MECHANICAL / ELECTRICAL OPTIONS

☐ **$850,000** **MTU 16V-2000 Performance Package**
- MTU 2400HP in lieu of CAT C32 1925 HP (Top speed 28 knots in lieu of 22) knots
- Systems upgrade includes structural reinforcements, gear, shaft, propeller, exhaust pipe, muffler, and entire drive train upgrade to match new requirements.

☐ **$33,990** Inverter Package
- Upgrade 100AMP charger to inverter/charger (5000W/120AMP)
- Allowing for "silent night/no generator¨ inverting from DC Batteries to AC circuits (refrigeration, water pumps, select AC outlets
- Blue-Power full function programmable controller

☐ **$19,800** Wireless YachtController remote in lieu of standard fixed-station

☐ **$12,440** FB air conditioning 36,000 BTU

EXTERIOR OPTIONS

☐ **$65,700** Bow seating with concealed pop-up lighting and hi-low table converts to sun pad

☐ **$40,300** 4-person lighted Jacuzzi w/ custom fiberglass enclosure on boat deck

☐ **$10,000** High output LED underwater lights (four)

☐ **$9,840** S/S transom gates for pets/children protection from Aft-deck to swimstep

☐ **$5,780** ACR searchlight

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.

☐ **$ 5,200** Spreader lights for swim step and FB deck

☐ **$8,600** SonicShields using ultrasonic technology to kill/chase away any algae/barnacle/mussels etc. that may adhere to hull/props/shaft etc. Will allow for longer periods, up to twice as long, between bottom paint replacement and ensure cleaner bottom thus less drag in the water

☐ **$28,600** Manual awning with custom made stainless steel poles and marine-grade exterior "Batyline Crème" Ferrari mesh fabric

☐ **$8,000** Flip down 32' TV with Satellite Receiver Includes additional exterior speakers for full stereo effect on FB/Aft Skylounge

☐ **$8,000** Flip down 32' TV with Satellite Receiver Includes additional exterior speakers for full stereo effect on Aft-deck

☐ **$9,800** Aft-deck custom ceiling feature

***** Specifications, standard and optional equipment with prices are subjects to change without notice.**
***** Speed, fuel burn, and range data is indicative only. Actual performance is dependent on customer gear and option selections. Ocean Alexander does not warranty ultimate speeds/fuel burn and range.**

Ocean Alexander reserve the right to make modification and improvements which may result differences from published specification.